

PACIFIC PREMIUM POOL SALT			
COMPONENTS	SPECIFICATION	TYPICAL	DSL Test Method <i>(Reference Method)</i>
Sodium Chloride as NaCl - Minimum moisture free	Min 99.5%	99.7%	DSL Pt.5 (BP)
Moisture Content	Max 0.2%	0.05%	DSL Pt. 12 (BS 7319:Part 2:1990)
Matter Insoluble in water	Max 0.05%	0.015%	DSL Pt. 11 (BS 7319:Part 3:1990)
Sulphate as Na ₂ SO ₄	Max 0.30%	0.11% (1100 mg/kg)	DSL Pt. 14 (BS 7319:Part 4:1990)
Calcium as Ca	Max 0.06%	0.04% (400 mg/kg)	DSL Pt. 6 (BS 7319:Part 5:1990)
Magnesium as Mg	Max 0.04%	0.003% (30 mg/kg)	DSL Pt. 6 (BS 7319:Part 5:1990)
Arsenic as As	NS	<0.1 mg/kg	DSL Pt. 2 (BS 4404:1968)
Copper as Cu	Max 2 mg/kg	<0.5 mg/kg	DSL Pt. 4 (BS 7319:Part 7:1990)
Lead as Pb	NS	<0.1 mg/kg	DSL Pt. 4 (BS 7319:Part 8:1990)
Iron as Fe	Max 10 mg/kg	2.0 mg/kg	DSL Pt. 4 (BS 7319:Part 11:1990)
Potassium as K	NS	230 mg/kg	DSL Pt. 19 (BP)
Additives: Anticaking Agent as Na ₄ [Fe(CN) ₆]	Max 50 mg/kg	<8 mg/kg ¹	DSL Pt. 9 (BS 7319:Part 12:1990)

Notes: < Less than > Greater than ppm = mg/kg = (% x 10,000)

1. Mount Maunganui Refinery only
2. NS = No specification

GRADE DESCRIPTION:

Specially prepared for chlorine generation in domestic pools.
 Fine salt washed, crushed and kiln dried.

Recommended directions for use are printed on the pack

COUNTRY OF ORIGIN: Product of New Zealand

GRAIN SIZE: Typically 98 - 100% passing 2 mm
 Typically 36 - 75% passing 1 mm
 Typically 2 - 36% passing 500 micron (0.5 mm)

BULK DENSITY: Nominally: loose 1.14g/ml, compacted 1.35g/ml

COMPLIANCE *Dominion Salt is ISO 9001 certified*

PACK: 20kg pack

PALLETS: Standard pallet configuration is 60 x 20kg bags (1.2 tonnes per pallet).
 The salt is stretch wrapped and capped on pallets

Issue Date: 22.11.16
 Issue No: 1